



*Model G150*



*Model G503*



*Model G524*



*Model 846*

# Miscellaneous

Suction guns, oilers and measurers ..... 222

Water controls ..... 223

## Suction guns



### Model 615

Holds up to 18 oz. (532 cm<sup>3</sup>) of fluid. Flexible nozzle for transmission, differential or oil filter service. Precision follower fitted to barrel for superior suction and is impervious to oil, grease and water. Finished in rust-resistant, powder coated blue paint.

### Model G150 suction gun

17 oz. (503 cm<sup>3</sup>) capacity with 12 in. (304,8 mm) flex hose. Perfect for draining and filling differentials, clutches, power steering reservoirs and transmissions. Needs no priming. Features heavy-duty steel barrel, electro-static, corrosion-resistant finish and non-slip knurling.



## Oilers and measurers



### Oiler cans

Guardian offers oilers in a variety of sizes with rigid or flexible spouts to fit your needs.

#### Oiler cans

Model	Description
G502	6 oz. (170 ml), rigid spout
G503	6 oz. (170 ml), flexible spout
G504	12 oz. (340 ml), rigid spout
G507	16 oz. (454 ml), flexible spout



### Flexible spout measures

Guardian's flexible spout measures are designed for one-hand operation. Thumb-operated valve controls flow. 14 in. (355,6 mm) flexible spout with tapered tip swings into the necessary angle for hard-to-reach spots. Recessed bottom drains fully and guards against puncture. Rolled-edge top helps prevent spilling.

#### Flexible spout measures

Model	Description	
–	qt.	liter
G524	4	3,8
G525	5	4,7
G528	8	7,6



# Water controls

## Water controls

### Model 846 water bibbcock

For attaching to water service hose.

- 1/4 in. NPT (f) inlet
- Thumb-action trigger. Built-in strainer filters out contaminants.

### Model 845 water bibbcock

Same as model 846 except 3/4 – 1 1/2 in. AN inlet connects to standard lawn hose.



## Air/water accessories

Model	Description	Style
–	in.	–
<b>815</b>	1/4 (f) air coupler	Lincoln “long stem”
<b>845</b>	3/4 – 1 1/2 AN inlet	Connects to standard lawn hose
<b>846</b>	1/4 (f) water bibbcock	Low-pressure water
<b>11659</b>	1/4 (m) air nipple	Lincoln “long stem”
<b>66951</b>	1/4 (f) tire chuck	Standard tire chuck